Version 1	Revision Date: 02/10/2019	:	_	ate of last issue: 12/12/2019 ate of first issue: 12/12/2019		
SECTION	I. IDENTIFICATION					
Produc	t name	: F	land Sanitizer			
	Manufacturer or supplier's details Company name of Distributor : Premium Quality Supply					
	Address	:	7350 NW 35th Terrad	ce, Miami, FL 33122		
	Telephone	:	305-371-9200			

Recommended use of the chemical and restrictions on use Recommended use : Hand Sanitizer

Restrictions on use	 This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Eye irritation	: Category 2A
GHS Label element Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H226 Flammable liquid and vapor. H319 Causes serious eye irritation.

Hand Sanitizer

Version 1	Revision Date: 02/10/2019	: Date of last issue: 12/12/2019 Date of first issue: 12/12/2019
Preca	utionary Statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 Keep container tightly closed. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ eye protection/ face protection. Response: P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention. Storage: P403 + P235 Store in a well-ventilated place. Keep cool. Disposal P501 Dispose of contents/ container to an approved waste disposal plant.
Other	hazards	

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5 >= 50 - < 70	

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Hand Sanitizer

In case of skin contact		 Wash with water and soap as a precaution. Get medical attention if symptoms occur. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. 			
		Get medical attention.			
If swallowed		: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.			
Most important symptoms and effects, both acute and delayed		: Causes serious eye irritation.			
Protection of first-aiders		: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.			
Notes to physician		: Treat symptomatically and supportively.			

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)

Hand Sanitizer

Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	 Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	: Discharge into the environment must be avoided.

3 / 15

Version 1	Revision Date: : : 02/10/2019	Date of last issue: 12/12/2019 Date of first issue: 12/12/2019
		Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
	ods and materials for nment and cleaning up	 Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapors/mists with a water spray jet. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material

Hand S	anitizer	can be pumped, store recovered material in appropriate			
		container. Clean up remaining materials from spill with suitable absorbent.			
		Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.			
	7. HANDLING AND ST				
Techr	nical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.			
Local	/Total ventilation	: Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.			
Advic	e on safe handling	 Do not breathe vapors or spray mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Non-sparking tools should be used. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment. 			
Conditions for safe storage		 Keep in properly labeled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition. 			
Materials to avoid		: Do not store with the following product types: Strong oxidizing agents			
Version 1	Revision Date: 02/10/2019	: Date of last issue: 12/12/2019 Date of first issue: 12/12/2019 Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures which in contact with water emit flammable gases Explosives Gases			

Hand Sanitizer SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type	Control	Basis
		(Form of exposure)	parameters / Permissible	
			concentratio	
Ethanol	64-17-5	TWA	n1 ,000 ppm 1,900	NIOSH REL
		TWA	mg/m31,000 ppm 1,900	OSHA Z-1
		STEL	mg/m31,000 ppm	ACGIH

Biological occupational exposure limits

Ingredien	CAS-	Control	Biologic	Samplin		Basi
ts	No.	parameter	al	g time	concentrationPermissib	s
		s	specime		le	
			n			
N/A						
Engineering measures	۱ ۲ : ۱	l Minimize wor	l kplace expo	l osure conc	entrations.	
		Use only in a	an area equ	uipped with	explosion proof exhaust	
		ventilation.				
		Use with loc	al exhaust	ventilation.		
Personal protective eq	uipment					
Respiratory protection		· Conoral an	d local avh	aust vontile	ation is recommended to	

Respiratory protection: General and local exhaust ventilation is recommended to
maintain vapor exposures below recommended limits. Where
concentrations are above recommended limits or are
unknown, appropriate respiratory protection should be worn.
Follow OSHA respirator regulations (29 CFR 1910.134) and

5/15

Version 1	Revision Date: 02/10/2019	: Date of last issue: 12/12/2019 Date of first issue: 12/12/2019
		use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
н	and protection	
	Material	: Impervious gloves
	Material	: Flame retardant gloves
_	Remarks	: Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
E	ye protection	: Wear the following personal protective equipment: Safety goggles
S	kin and body protection	 Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: Flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Н	ygiene measures	: Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: gel
Color	: clear, light blue
Odor	· fruity
Odor Threshold pH	: No data available
Melting point/freezing point	: 6.5 - 8.5 _. No data available
Initial boiling point and boiling	: 73 °C

Version 1	Revision Date: : 02/10/2019	Date of last issue: 12/12/2019 Date of first issue: 12/12/2019
	inge ash point	: 25 °C
E٧	vaporation rate	: No data available
Fla	ammability (solid, gas)	: Not applicable
Up	oper explosion limit	: No data available
Lo	wer explosion limit	: No data available
Va	apor pressure	: No data available
Re	elative vapor density	: No data available
De	ensity	: 0.881 g/cm3
	blubility(ies) Water solubility	: soluble
	artition coefficient: n tanol/water	: Not applicable
Au	utoignition temperature	: No data available
De	ecomposition temperature	: The substance or mixture is not classified self-reactive.
	scosity Viscosity, kinematic	: 1,000 - 17,000 mm2/s (20 °C)
Ex	plosive properties	: Not explosive
O	kidizing properties	: The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac : F tions	lammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Inhala Skin c Ingest Eye co Acute Not cla <u>Produ</u>	ontact ion ontact • toxicity assified based on avail	
Not cla <u>Produ</u>	assified based on avail	
<u>Produ</u>		
	- 4-	able information.
	i <u>ct:</u> oral toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
<u>Ingree</u> Ethan	<u>dients:</u> ol:	
	oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute	inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapor
Skin d	corrosion/irritation	
Not cla	assified based on avail	lable information. Product:
Result	: No skin irritation	
Ingree	dients:	
Ethan	ol:	
	es: Rabbit	
	d: OECD Test Guidelir :: No skin irritation	1e 404
Resul	I. INU SNIT ITTILALIUTT	
	us eye damage/eye ir s eye irritation.	ritation Causes
Ingree	dients:	

Hand Sanitizer

Version 1	Revision Date: 02/10/2019	:	Date of last issue: 12/12/2019 Date of first issue: 12/12/2019		
Eth	anol:				
Spe	ecies: Rabbit				
		eversing within 21 days			
Met	hod: OECD Test Guide	eline 405			
Res	spiratory or skin sens	itization			
Skir	n sensitization: Not clas	sified based on availab	le information.		
	spiratory sensitization: Note: No	Not classified based on	available information.		
Ass	Assessment: Does not cause skin sensitization.				
Ing	redients:				
Eth	anol:				
	t Type: Local lymph no	•			
	ites of exposure: Skin o	contact			
•	ecies: Mouse sult: negative				
i i i i i i i i i i i i i i i i i i i					
Ger	m cell mutagenicity				
Not	classified based on av	ailable information.			
	redients:				
	anol:	· Toot Type: In	vitro mommolion coll gono mutation toot		
Gei	notoxicity in vitro	Result: negative	vitro mammalian cell gene mutation test		
Ger	notoxicity in vivo		ent dominant lethal test (germ cell) (in vivo)		
		Species: Mouse			
		Application Rou	•		
		Result: negative			
		9 / 15			

SAFETY DATA SHEET

Hand Sanitizer

Version	Revision Date:	:	Date of last issue: 12/12/2019
1	02/10/2019		Date of first issue: 12/12/2019

Carcinogenicity

Not classified based on available information.

Ingredients:

Result: negative

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

VersionRevision Date102/10/2019	: Date of last issue: 12/12/2019 Date of first issue: 12/12/2019
OSHA	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive toxic	ty
Not classified based	on available information.
Ingredients:	
Ethanol:	
Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative

STOT-single exposure

Not classified based on available information.

10 / 15

STOT-repeated exposure Not classified based on available information.

Repeated dose toxicity

Ingredients:

Ethanol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity Ingredients: Ethanol: : LC50 (Pimephales promelas (fathead minnow)): > 1,000 Toxicity to fish mg/l Exposure time: 96 h Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l aquatic invertebrates Exposure time: 48 h : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Toxicity to algae Exposure time: 72 h Method: OECD Test Guideline 201 Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 9.6 mg/l aquatic invertebrates (Chronic Exposure time: 9 d toxicity) : EC50 (Photobacterium phosphoreum): 32.1 mg/l Toxicity to bacteria Exposure time: 0.25 h

SAFETY DATA SHEET

Hand Sanitizer

Version 02/10/2019	Revision Date:	:	Date of last issue: 12/12/2019 Date of first issue: 12/12/2019
Toxic	ity to bacteria		Exposure time: 8 d : EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h

Hand Sanitizer

sion	Revision Date: 02/10/2019	: Date of last issue: 12/12/2019 Date of first issue: 12/12/2019
Ing	redients:	
	anol:	
	degradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
Bio	accumulative potential	Ingredients:
Eth	anol:	
Par	tition coefficient: n- : log	g Pow: -0.35 octanol/water
Mol	oility in soil	
No	data available	
Oth	er adverse effects	
No	data available	
	N 13. DISPOSAL CONS	
BECHO	N 13. DISPUSAL CONS	IDERATIONS
Dis	posal methods	
	ste from residues	: Dispose of in accordance with local regulations.
Cor	ntaminated packaging	
001	namated publicitying	: Dispose of as unused product. Empty containers should be taken to an approved waste
		handling site for recycling or disposal.
		Do not burn, or use a cutting torch on, the empty drum.
SECTIO	N 14. TRANSPORT INFO	ORMATION
	IN 14. IKANSPURTINFO	

International Regulation

UNRTDG	
UN number	: UN 1987
Proper shipping name	: ALCOHOLS, N.O.S.

12 / 15				
	(Ethanol)			
Class	: 3			
Packing group	: 111			
Labels	: 3			
IATA-DGR				
UN/ID No.	: UN 1987			
	13 / 16			

Proper shipping name	: Alcohols, n.o.s. (Ethanol,)			
Class	:3			
Packing group	:			
Labels	: Flammable Liquids			
Packing instruction (cargo	: 366			
aircraft)				
Packing instruction	: 355			
(passenger aircraft)				
IMDG-Code				
UN number	: UN 1987			
Proper shipping name	: ALCOHOLS, N.O.S.			
	(Ethanol,)			
Class	: 3			
Packing group	: 11			
Labels	: 3			
EmS Code	: F-E, S-D			
Marine pollutant	: no			
Transport in bulk according	I to Annex II of MARPOL 73/78 and the IBC Code Not			
applicable for product as supp	blied.			
Domestic regulation				
49 CFR				
UN/ID/NA number	: UN 1987			
Proper shipping name	: ALCOHOLS, N.O.S.			
Class				
UI055	: 3			

Class	: 3
Packing group	: 111
Labels	: FLAMMABLE LIQUID
ERG Code	: 127
Marine pollutant	: no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

Hand Sanitizer

Version 1	Revision Date: 02/10/2019	:	Date of last issue: 12/1 Date of first issue: 12/2		
Version 1.1	Revision Date: 02/10/2015	MSDS Number: 36762-00002	Date of last issue: 12 Date of first issue: 12		
		Acute Health H	azard		
SARA 302		: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.			
SARA 313		: The following components are subject to reporting levels established by SARA Title III, Section 313:			
	State Regulations nnsylvania Right To K	now			
	Ethanol Water		64-17-5 7732-18-5	52 - 72 % 5 28 - 48 %	
Ne	w Jersey Right To Kno Ethanol	W	C4 17 E	E2 72 0/	
	Ethanoi	Water 773	64-17-5 32-18-5 28 - 48 %	52 - 72 %	
Cal	ifornia Prop 65	This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.			
	e ingredients of this pr ACH	-	the following inventor pre-)registered or exemp		
TSC	CA	: All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.			
DSI	L	: All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).			
AIC Inve	:S entories	: All ingredients li	sted or exempt.		
AIC	S (Australia), DSL (Car	ada), IECSC (China),	REACH (European Unic	on), ENCS (Japan), ISH	

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

NFPA: HMIS III: Flammability HEALTH 2 Full text of other abbreviations 3 FLAMMABILITY 0 **PHYSICAL HAZARD** 0 = not significant, 1 =Slight, 3 2 = Moderate, 3 = HighSpecial hazard. nstability 4 = Extreme, * = Chronic Healt 0 ACGIH : USA. ACGIH Threshold Limit Values (TLV) ACGIH BEI : ACGIH - Biological Exposure Indices (BEI) NIOSH REL : USA. NIOSH Recommended Exposure Limits OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday OSHA Z-1 / TWA : 8-hour time weighted average Sources of key data used to : Internal technical data, data from raw material SDSs, OECD compile the Material Safety eChem Portal search results and European Chemicals Agen-Data Sheet cy, http://echa.europa.eu/ **Revision Date** : 12/12/2019 The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.